Page 1/12



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: LUCITE® 140 Airless Filler

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Coating agent

Uses advised against

This product is not suitable for uses other than those specified in the "Use of the substance/mixture". If your particular manner of use is not listed, please contact the creator of this safety data sheet.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Dörken Coatings GmbH & Co. KG Wetterstr. 58 58313 Herdecke Germany www.doerkencoatings.de

Phone: +49 2330 63 243 Fax: +49 2330 63 100 243

Further information obtainable from: msds.coatings@doerken.de

1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Warning Hazard-determining components of labelling: 2-methyl-2H-isothiazol-3-one

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

(Contd. on page 2)

⁻ DE/EN -

Page 2/12



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

Trade name: LUCITE® 140 Airless Filler

1,2-benzisothiazol-3(2H)-one

(Contd. of page 1)

Hazard statements
H317 May cause an allergic skin reaction.
Precautionary statements
P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional information:
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
2.3 Other hazards
Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-xxxx	Titanium dioxide Carc. 2, H351	10-25%
CAS: 67-64-1 EINECS: 200-662-2 Reg.nr.: 01-2119471330-49-xxxx	acetone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	<1.5%
CAS: 121-44-8 EINECS: 204-469-4	triethylamine Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1A, H314; Eye Dam. 1, H318 ATE: LD_{50} oral: 100 mg/kg LD_{50} dermal: 300 mg/kg LC_{50} / 4 h inhalative: 7.2 mg/l Specific concentration limit: STOT SE 3; H335: C \geq 1 %	<0.5%
CAS: 77-99-6 EINECS: 201-074-9 Reg.nr.: 01-2119486799-10-xxxx	propylidynetrimethanol Repr. 2, H361fd	<0.15%

Page 3/12



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

Trade name: LUCITE® 140 Airless Filler

	(Cc	ontd. of page 2)
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.015%
EINECS: 220-120-9	Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1,	
Reg.nr.: 01-2120761540-60-xxxx	H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit.	
	2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: C \geq 0.05 %	
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	<0.01%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330;	
Reg.nr.: 01-2120764690-50-xxxx		
	H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A,	
	H317, EUH071	
	Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.0015$	
	%	
CAS: 55965-84-9	mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-	<0.0025%
Reg.nr.: 01-2120764691-48-xxxx		
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330;	
	Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1,	
	H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens.	
	1A, H317, EUH071	
	Specific concentration limits: Skin Corr. 1C; H314: C \ge 0.6 % Skin Irrit. 2; H315: 0.06 % \le C <	
	0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Dani, 1, 1510. $C \ge 0.0$ % Eye Irrit. 2; H319: 0.06 % \le C <	
	0.6 %	
	Skin Sens. 1A; H317: C ≥	
	0.0015 %	
Additional information: For the	wording of the listed hazard phrases refer to section 16.	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In all cases of doubt, or when symptoms persist, seek medical advice.

Soiled, soaked clothes immediately take off.

Never give anything by mouth to an unconscious person.

After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

After eye contact:

Remove contact lenses. Keep eye lids open and rinse plentifully for at least 10 minutes with clean running water. Subsequently consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an opthalmologist.

(Contd. on page 4)

Page 4/12



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

(Contd. of page 3)

Trade name: LUCITE® 140 Airless Filler

After swallowing:

Rinse mouth thoroughly with water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Extinguishing powder, foam, carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dangerous decomposition products like dense, black smoke, carbon dioxide (CO₂), carbon monoxide (CO) and nitrogen oxides (NOx). Inhalation may cause serious health damage. Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid contact with skin and eyes.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Keep contaminated washing water and dispose of appropriately.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 5)

Page 5/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

(Contd. of page 4)

Trade name: LUCITE® 140 Airless Filler

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid prolonged, intensive skin contact and contact with the eyes. Avoid the handling of incompatible substances and mixtures. Incompatible substances: see section 10.5

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Make sure spills can be contained, e.g. in sump pallets.

Protect from frost, heat and direct sunlight. Keep tightly closed, cool and dry.

Information about storage in one common storage facility:

Note the rules for common storage in accordance with TRGS 510 - "Storage of hazardous substances in transportable containers".

Store away from foodstuffs.

Further information about storage conditions: None.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

67-64-1 acetone	
AGW (Germany)	Long-term value: 1200 mg/m³, 500 ppm 2(I);AGS, DFG, EU, Y
IOELV (EU)	Long-term value: 1210 mg/m ³ , 500 ppm
121-44-8 triethyl	amine
AGW (Germany)	Long-term value: 4.2 mg/m³, 1 ppm 2(I);DFG, EU, H, 6
IOELV (EU)	Short-term value: 12.6 mg/m³, 3 ppm Long-term value: 8.4 mg/m³, 2 ppm Skin
55965-84-9 mixt	ure of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc
Regulatory infor AGW (Germany): IOELV (EU): (EU	: TRGS 900
	(Contd. on pag

DÖRKEN[®]



according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

Trade name: LUCITE® 140 Airless Filler

67-64-1 aceton	h biological limit values: e
BGW (German	-
	prmation BGW (Germany): TRGS 903 rmation: The lists valid during the making were used as basis.
Appropriate er	ontrols Provide good ventilation and/or an exhaust system in the work area. gineering controls /entilation. This can be achieved by local exhaustion or general exhaust air.
General protect Wash hands be Avoid contact w Immediately rer Do not eat, drin	ection measures, such as personal protective equipment tive and hygienic measures: fore breaks and at the end of work. ith the eyes and skin. nove all soiled and contaminated clothing <, smoke or sniff while working. tion cream for skin protection.
• •	otection: ction is always required when spraying. n filter A2(-P2) according to EN 14387.
be used. Glove	n s. Gloves must be inspected for damage before use. Defective or damaged gloves must must satisfy the specifications of EC directive 89/686/EWG and standard EN 374. led to use long gloves to minimize contact by splashing.
and varies from	ves the suitable gloves does not only depend on the material, but also on further marks of que manufacturer to manufacturer. As the product is a preparation of several substances, the glove material can not be calculated in advance and has therefore to be checked prior t
	ne of glove material It through time has to be found out by the manufacturer of the protective gloves and has t
Have eye wash	ction goggles to protect against splashing. bottle or eye rinse ready at work place. operative Rules - BGR 192 Use of eye and face protection
	n: Impervious protective clothing



according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

(Contd. of page 6)

Trade name: LUCITE® 140 Airless Filler

SECTION 9: Physical and chemical pro	-
9.1 Information on basic physical and chemical	properties
General Information	
Physical state	Fluid
Colour:	White
Odour:	Ammonia-like
Odour threshold:	For mixtures not applicable.
Melting point/Freezing point:	Not security-related.
Boiling point or initial boiling point and boiling	
range	100 °C (7732-18-5 water)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	For mixtures not applicable.
pH at 20 °C	>8.4
Viscosity:	Not security-related.
Solubility	
water:	Miscible / waterdilutable.
polar solvents:	Partly miscible.
, non-polar solvents:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water)
Density and/or relative density	
Density at 20 °C:	1.26-1.32 g/cm³
Vapour density	Not applicable.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health a	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	r reduct does not procent an explosion nazara.
Softening point/range	
Oxidising properties	In its condition as supplied, the product is neithe
exisionly properties	flammable nor oxidising.
Evaporation rate	For mixtures not applicable.
•	
Information with regard to physical hazard classes	
Explosives	Void
Explosives Flammable gases	Void



according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

Trade name: LUCITE® 140 Airless Filler

		(Contd. of page
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

No dangerous reactions are known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products:

In case of fire arise: smoke and carbon oxides. Under certain fire conditions tracks of other toxic products can not be excluded.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

The quoted data are literature values and/or manufacturer/supplier data.

121-44-8 triethylamine

Oral		100 mg/kg (ATE)
Dermal	LD₅₀	300 mg/kg (ATE)
Inhalative	LC₅₀ / 4 h	7.2 mg/l (ATE)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

DÖRKEN[®]

Trade name: LUCITE® 140 Airless Filler

	(Contd. of page 8)
Serious eye damage/irritation Based on available data, the classification criteria are not m	net.
Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.	
STOT-single exposure Based on available data, the classification criteria are not met.	
STOT-repeated exposure Based on available data, the classification criteria are not met.	
Aspiration hazard The mixture contains no or only small amounts of materials which are classified as an aspir can therefore be assumed that the mixture is not an aspiration hazard. Based on available data, the classification criteria are not met. Additional toxicological information:	ation hazard. It
CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The product is not classified as carcinogenic, mutagenic or toxic to reproduction (CMR prop 11.2 Information on other hazards	perties).
Endocrine disrupting properties	
540-97-6 Dodecamethylcyclohexasiloxane	List II
128-37-0 2,6-di-tert-butyl-p-cresol	List II
556-67-2 octamethylcyclotetrasiloxane	List II; III

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: There are no statements/information available of the preparation.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This product does not contain relevant substances that have been assessed as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB). **PBT:** Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects No further relevant information available.

(Contd. on page 10)

DE/EN



according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

Trade name: LUCITE® 140 Airless Filler

(Contd. of page 9)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information	אכ 	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 11)

- DE/EN -

Page 11/12



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

(Contd. of page 10)

3

3

Trade name: LUCITE® 140 Airless Filler

REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

National regulations:

Information about limitation of use:

Observe employment restrictions concerning young persons.

Observe employment restrictions for expectant or nursing mothers.

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

Labelling according to Regulation (EC) No 2004/42

VOC limit according to 2004/42/EC for category a (WB) and maximum VOC content: see lid.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The given conditions of work of the user extract themselves from our knowledge and control. The product/the preparation may be used without written permission for no other use, than the mentioned intended purpose. The user is responsible for the observance of all necessary legal instructions.

This Safety Data Sheet replaces all previous versions. With the newest version in each case, the preceding Safety Data Sheets are set out of strength.

For further information please consult the "Technical Data Sheet". Misuse may cause damage to health and environment.

Labelling according to regulation (EC) No 528/2012 Additional information:

Contains protective agent for products in storage.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.

(Contd. on page 12)

DE/EN

Page 12/12



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.04.2024

Version number 03-04 (replaces version 03-03)

Revision: 03.04.2024

Trade name: LUCITE® 140 Airless Filler

		(Contd. of page 1
	May cause drowsiness or dizziness.	
H351 S	Suspected of causing cancer.	
H361fd S	Suspected of damaging fertility. Suspected of damaging the unborn child.	
H400 V	/ery toxic to aquatic life.	
H410 V	/ery toxic to aquatic life with long lasting effects.	
EUH066 R	Repeated exposure may cause skin dryness or cracking.	
EUH071 C	Corrosive to the respiratory tract.	
Classifica	ation according to Regulation (EC) No 1272/2008	
Skin sensi	itisation The classification of the mixture is generally based on the calculation meth substance data according to Regulation (EC) No 1272/2008.	nod using
Date of pr	revious version: 06.03.2024	
Version n	umber of previous version: 03-03	
Abbreviat	tions and acronyms:	
Flam. Liq. 2:	Flammable liquids – Category 2	
	3: Acute toxicity – Category 3	
	E Acute toxicity – Category 4	
	2: Acute toxicity – Category 2	
	A: Skin corrosion/irritation – Category 1A B: Skin corrosion/irritation – Category 1B	
	C: Skin corrosion/irritation – Category 1C	
	Skin corrosion/irritation – Category 2	
	Serious eye damage/eye irritation – Category 1	
	Serious eye damage/eye irritation – Category 2	
Skin Sens. 1:	: Skin sensitisation – Category 1	
	A: Skin sensitisation – Category 1A	
	cinogenicity – Category 2	
• •	productive toxicity – Category 2	
	Specific target organ toxicity (single exposure) – Category 3	
	te 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 onic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
	mpared to the previous version altered.	
	ווייד איז	DE